



Committee Members

Deanne Johnson
Kathy McCoy
Larry Patterson
Erik Peterson
Dale Pierce
Bob Smart

DIAMOND SPRINGS AND EL DORADO
COMMUNITY ADVISORY COMMITTEE

AGENDA

April 16, 2015

PLACE: Diamond Springs Fire Station
501 Main Street
Diamond Springs, CA 95916

TIME: 6 P.M.

POSTED:

For purposes of the Brown Act (Government Code Section 54954.2 (a), the numbered items on this agenda give a brief general description of each item of business to be transacted or discussed.

ROLL CALL

FLAG SALUTE

ADOPT AGENDA

APPROVE 3-19-15 MINUTES (Currently missing)

OPEN FORUM

Public testimony will be received on each agenda item as it is called. Matters not on the agenda may be addressed by the general public during the Open Forum. Public comments during Open Forum are limited to three minutes per person. The Committee reserves the right to waive said rules by majority vote.

CORRESPONDENCE

TOPICS

1. **Discussion with Don Spear of our DOT and Clark Peri of Caltrans about vehicle/pedestrian issues in El Dorado, Hwy 49 and Pleasant Valley Rd. Specific topics—**
 - a. Status of future projects in El Dorado at the Pleasant Valley Rd. and Hwy 49 intersection.
 - b. Pedestrians crossing in El Dorado are hazardous. What improvements are possible?

- c. There is an exposed slotted drain pipe/pot hole at Georges' pit stop which poses a safety hazard.
- d. Are additional drainage improvements proposed for downtown El Dorado.
- e. What can be done to improve pedestrian safety along Hwy 49 between the town site of El Dorado and Diamond Springs?
- f. Striping and pavement repairs are need in El Dorado.

2. Diamond Villa (50 unit Care Facility) located at Fowler/Panther Lane. This is a project that was approved by El Dorado County before the establishment of the Diamond Springs-El Dorado Advisory Committee and the objective is to familiarize and update the community. Ron Regan is the lead person for the project and will lead the discussion.

DIRECTOR ITEM(S)

ADJOURNMENT

Next Meeting May 21, 2015 Diamond Springs Fire Station