

Analysis of General Plan Consistency:

By dividing five year capital expenditures by proposed five year square foot development, the District has determined that \$1.01 per square foot of development will meet the District's needs for equipment upgrades, building or relocating a fire station on the west end of the District's boundaries, and a remodel of the current administrative station. These are specifically outlined within the attached Annual Financial Report.

General Plan Policy 5.1.2.2 establishes minimum levels of service for fire district response to be applied to the review of discretionary projects as an eight-minute response time to 80 percent of the population within the Community Region and a 15 to 45 minute response time to rural centers and rural regions. Development of the planned fire facilities discussed above will aid the Rescue Fire Protection District in continuing to meet these response times for future development consistent with Policy 5.1.2.2.

Payment of the proposed fire facilities impact fees to fund the planned improvements will assist project applicants in satisfying General Plan Policy 5.7.1.1 which requires that "prior to approval of new development, the applicant will be required to demonstrate that adequate emergency water supply, storage, conveyance facilities, and access for fire protection either are or will be provided concurrent with development."

Policy 6.2.3.1 requires the County to find that, based on information from the applicant and responsible fire protection district, concurrent with development, adequate emergency water flow, fire access, and fire fighting personnel and equipment will be available for new development in accordance with applicable State and local fire district standards. As they address the service needs of future development, the planned fire facilities and equipment outlined in the report are consistent with this policy.

The impact fee program proposed within the Annual Report is consistent with General Plan Policy 10.2.1.4 which requires, "new discretionary development to pay its fair share of the costs of all civic, public, and community facilities it utilizes based upon the demand for these facilities that can be attributed to new development."

In conclusion, the proposed CIP is consistent with the applicable policies of the 2004 General Plan.

ATTACHMENT A:

Annual Report on Fire District Development Improvement Fees and Annual Update of Five Year Apparatus/Facilities Improvement Plan Report (2007-2008)